

	L #	Hits	Search Text	DBs	Time Stamp
1	L1	62684	(cold ADJ cathode) OR (field ADJ (emission OR emit\$4))	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWE NT; IBM_TD B	2008/01/05 18:08
2	L4	15941	(plural\$3 OR multi\$3 OR several OR many OR (at ADJ least) OR two OR second) WITH (insulat\$3 OR glass OR silicate OR (silicon ADJ oxide) OR ("SiO.sub.2") OR passivation) WITH cathode	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWE NT; IBM_TD B	2008/01/05 18:09
3	L5	2507	1 AND 4	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWE NT; IBM_TD B	2008/01/05 18:02

	L #	Hits	Search Text	DBs	Time Stamp
4	L6	69236	(plural\$3 OR multi\$3 OR several OR many OR (at ADJ least) OR two OR second) WITH (insulat\$3 OR glass OR silicate OR (silicon ADJ oxide) OR ("SiO.sub.2") OR passivation) WITH gate	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWE NT; IBM_TD B	2008/01/05 18:09
5	L7	1069	5 AND 6	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWE NT; IBM_TD B	2008/01/05 18:02
6	L8	3210839	diameter	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWE NT; IBM_TD B	2008/01/05 18:10

	L #	Hits	Search Text	DBs	Time Stamp
7	L9	469	7 AND 8	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWE NT; IBM_TD B	2008/01/05 18:03
8	L10	2198	glass WITH paste WITH insulat\$3	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWE NT; IBM_TD B	2008/01/05 18:11
9	L11	61	9 AND 10	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWE NT; IBM_TD B	2008/01/05 18:05

	L #	Hits	Search Text	DBs	Time Stamp
10	L12	12998	(softening ADJ point) WITH glass	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWE NT; IBM_TD B	2008/01/05 18:07
11	L13	4	11 AND 12	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWE NT; IBM_TD B	2008/01/05 18:08
12	L14	2744	((cold ADJ cathode) OR (field ADJ (emission OR emit\$4))).CLM.	US- PGPUB	2008/01/05 18:08
13	L15	684	((plural\$3 OR multi\$3 OR several OR many OR (at ADJ least) OR two OR second) WITH (insulat\$3 OR glass OR silicate OR (silicon ADJ oxide) OR ("SiO.sub.2") OR passivation) WITH cathode).CLM.	US- PGPUB	2008/01/05 18:09
14	L16	138	14 AND 15	US- PGPUB	2008/01/05 18:09
15	L17	9342	((plural\$3 OR multi\$3 OR several OR many OR (at ADJ least) OR two OR second) WITH (insulat\$3 OR glass OR silicate OR (silicon ADJ oxide) OR ("SiO.sub.2") OR passivation) WITH gate).CLM.	US- PGPUB	2008/01/05 18:10
16	L18	65	16 AND 17	US- PGPUB	2008/01/05 18:10

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>	<b>Time Stamp</b>
<b>17</b>	L19	106845	diameter.CLM.	US-PGPUB	2008/01/05 18:10
<b>18</b>	L20	18	18 AND 19	US-PGPUB	2008/01/05 18:10
<b>19</b>	L21	44	(glass WITH paste WITH insulat\$3).CLM.	US-PGPUB	2008/01/05 18:11
<b>20</b>	L22	0	20 AND 21	US-PGPUB	2008/01/05 18:11